

Réf #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	3555	film near5 (scan\$5 or read\$5) near5 digit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:54
L19	110	16 and ((scan\$5 or read\$5) near6 (either or each or both or two or dual or double or duplex) near6 (surface or side))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:56
L22	13	19 and ((sens\$5 or scan\$5 or photo-recept\$5 or photorecept\$5 or photo-detect\$5 or photodetect\$5 or detect\$5) near6 (mov\$5 or rotat\$5 or transport\$5 or plac\$5) near6 relative\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:22
L23	96	16 and ((sens\$5 or scan\$5 or photo-recept\$5 or photorecept\$5 or photo-detect\$5 or photodetect\$5 or detect\$5) near6 (mov\$5 or rotat\$5 or transport\$5 or plac\$5) near6 relative\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:22
L24	74	16 and ((sens\$5 or scan\$5 or photo-recept\$5 or photorecept\$5 or photo-detect\$5 or photodetect\$5 or detect\$5) near6 (mov\$5) near6 relative\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:47
L25	27	24 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:47
L26	39	24 and (sens\$3 near4 mov\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:47
L27	18	26 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	3555	film near5 (scan\$5 or read\$5) near5 digit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:54
L19	110	16 and ((scan\$5 or read\$5) near6 (either or each or both or two or dual or double or duplex) near6 (surface or side))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 16:25
L31	1	19 and (manual\$6 near4 (flip\$6 or twist\$5 or invert\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 16:26
L32	10	16 and (manual\$6 near4 (flip\$6 or twist\$5 or invert\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 16:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	44623	film near3 (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:40
L5	3158	4 and (scan\$5 near5 digital)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:20
L7	76	5 and (scan\$5 with (each or both) with (side or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:22
L8	14	7 and (align\$5 with (data or imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:33
L9	336	5 and (align\$5 with (data or imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:25
L10	72	9 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:25
L11	909	film near3 (scan\$5 or read\$5) near5 (plural\$5 or multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:41
L12	120	11 and (align\$5 with (data or imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:41
L13	22	12 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:34
L14	2595	film near3 (scan\$5 or read\$5) near6 digital\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:40

L16	146	14 and film near3 (scan\$5 or read\$5) near5 (plural\$5 or multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:41
L17	26	16 and (align\$5 with (data or imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:42
L18	7	16 and (align\$5 with (data or imag\$5) with digit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:42
L19	46	14 and (align\$5 with (data or imag\$5) with digit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:42
L20	10	19 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:43

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	44628	film near3 (scan\$6 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:28
L13	8925	12 and ((light or source or radiat\$5 or illuminat\$6) near4 (side or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:34
L14	9700	358/450,448,505,506,1.12,1.9,496,494,474,471.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:30
L15	968	396/44,564.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:30
L16	240	382/318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:30
L17	296	13 and (14 or 15 or 16)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:34
L18	26	17 and ((light or source or radiat\$5 or illuminat\$6) near4 (both) near7 (side or surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:35

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	63648	(film near5 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:16
L5	1743	L1 and (develop\$6 near2 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:24
L6	35	L5 and ((read\$5 or scan\$5) near5 (different or various) near5 (time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:35
L7	13	6 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:29
L8	4	7 and ((combin\$5 or merg\$5) near6 (data or imag\$5) near6 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:36
L9	79	(film near6 (read\$5 or scan\$5) near5 (different or various) near5 (time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:38
L10	17	9 and ((combin\$5 or merg\$5) near6 (data or imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:39
L11	48	(film near6 (read\$5 or scan\$5) near5 (different or various) near (time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:38
L12	10	11 and ((combin\$5 or merg\$5) near6 (data or imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 16:48

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	55039	(film near4 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 12:53
L4	113	3 and ((transmitt\$5 or transmission) near3 densit\$5) same ((reflect\$5) near3 densit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 12:54
L6	30	4 and ((one or single) near2 (sens\$5 or photorecept\$5 or photo-detect\$5 or photo-recept\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 13:01

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	55039	(film near4 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:26
L18	113	L17 and ((transmitt\$5 or transmission) near3 densit\$5) same ((reflect\$5) near3 densit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:26
L19	30	L18 and ((one or single) near2 (sens\$5 or photorecept\$5 or photo-detect\$5 or photo-recept\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:26
L20	30	L18 and ((one or single) near2 (sens\$5 or photorecept\$5 or photo-detect\$5 or photo-recept\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:27
L21	318	(scan\$5 with both with side with film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:27
L22	15	L21 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:27
L23	1836	(reflect\$5 near4 film) and (transmi\$6 near4 film) and (film near4 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:28
L24	968	L23 and ((turn\$5 or rotat\$5 or mov\$5 or spin\$5 or twist\$5 or flip\$5) near5 film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:28
L25	109	L24 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:28
L26	21	L25 and ((flip\$5 or twist\$5 or translat\$5 or rotat\$5) near2 film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:28



L27	8686	(flip\$5 or twist\$5 or rotat\$5) near film	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:29
L28	3	L27 and ((scan\$5) near3 (front) near3 film) and ((scan\$5) near3 (back or revers\$5 or rear) near3 film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:29
L29	554	duplex with (film or transparen\$5 or document or medium) with (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:30
L30	85	L29 and film	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:30
L31	29	L30 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 15:30

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L54	235	(film near3 (rotat\$5 or flip\$5 or twist\$5 or turn\$5)) same ((scan\$5 or read\$5) with (front or rear or back or opposite))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:41
L56	21	54 and ("358".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:42

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L38	145	(duplex near3 (document or transparen\$5) near3 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:27
L39	3	(duplex near3 (transparen\$5) near3 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:15
L40	22	(duplex near3 (film) near3 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:23
L41	13	40 and ((one or single) near5 (sens\$5 or detect\$5 or photodetect\$5 or photocaptur\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:29
L42	644	((duplex or dual\$6 or double\$6) near3 (document or transparen\$5) near3 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:28
L43	132	((duplex or dual\$6 or double\$6) near3 (film) near3 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:28
L44	35	43 and ((one or single) near5 (sens\$5 or detect\$5 or photodetect\$5 or photocaptur\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 15:41
L45	17	44 and (reflect\$5 and transmi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:04
L46	1	(dual near3 side near5 film near5 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:06
L47	0	(dual near3 side near5 transparen\$5 near5 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:07

L48	191	(dual near3 side near5 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:08
L49	15	48 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:18
L50	51	(film near3 (scan\$5 or read\$5)) and 358/450.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:19
L51	41	50 and (combin\$5 or merg\$5 or superpos\$5 or superimpos\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:32
L52	8	(film near3 (rotat\$5 or flip\$5 or twist\$5)) and 358/450.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:35
L53	13	(film near3 (rotat\$5 or flip\$5 or twist\$5 or turn\$5)) and 358/450.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 16:36

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	12288	digital near6 film\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:31
L3	10468	2 and (scan\$5 or read\$5 or process\$5 or develop\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:32
L4	993	3 and ((scan\$5 or read\$5) near7 (side or face))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:34
L5	486	4 and ((combin\$5 or merg\$5 or composit\$5 or superpos\$5 or superimpos\$5) near6 (data or imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:35
L6	6261	358/450,448,505,506,1.12,1.9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:56
L7	152	396/44.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:56
L8	240	382/318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:56
L9	39	5 and (6 or 7 or 8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:57

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	12288	digital near6 film\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:31
L3	10468	2 and (scan\$5 or read\$5 or process\$5 or develop\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:32
L4	993	3 and ((scan\$5 or read\$5) near7 (side or face))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:34
L5	486	4 and ((combin\$5 or merg\$5 or composit\$5 or superpos\$5 or superimpos\$5) near6 (data or imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:35
L6	6261	358/450,448,505,506,1.12,1.9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:56
L7	152	396/44.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:56
L8	240	382/318.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 09:56
L9	39	5 and (6 or 7 or 8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 10:38
L10	4	9 and (duplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 10:37
L11	95	2 and (duplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 10:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	330562	(film or transparen\$5) near6 (scan\$6 or read\$5 or proces\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:12
L4	25038	3 and ((rotat\$5 or turn\$5 or flip\$5) near6 film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:12
L5	5836	4 and ((scan\$6 or read\$5 or proces\$6) near6 (front or first or head)) and ((scan\$6 or read\$5 or proces\$6) near6 (back or second or rear))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:15
L6	968	5 and ((combin\$5 or merg\$5 or join\$5 or superpos\$5 or superimpos\$5) near6 (imag\$5 or data or pixel))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:19
L7	243	6 and ((one or single) near4 (sensing or sensor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:19
L8	53	7 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 11:19

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L7	330562	(film or transparen\$5) near6 (scan\$6 or read\$5 or proces\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 12:54
L16	2678	7 and ((one or single) near3 (((light or radiation) near3 (sensing or sensor)) or photodetect\$5 or photo-detect\$5 or light-detect\$5 or ((light or radiation) near3 (detecting or detector))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 12:53
L20	30	16 and (((scan\$6 or read\$5) near3 ((front or first) near3 (side or face))) same ((scan\$6 or read\$5) near3 ((reverse or back or rear or second) near3 (side or face))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:05
L21	302	7 and (((scan\$6 or read\$5) near3 ((front or first) near3 (side or face))) same ((scan\$6 or read\$5) near3 ((reverse or back or rear or second) near3 (side or face))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:06
L22	0	21 and 358/450.clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:07
L23	0	7 and 358/450.clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:08
L24	2	21 and 358/450.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:07
L25	84	7 and 358/450.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:28
L26	483	358/450.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:28



L27	51	26 and (film near3 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:39
L28	25	(scan\$5 near3 front near4 film) same (scan\$5 near3 back near4 film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:43
L29	30	(scan\$5 near3 front near4 (film or medium)) same (scan\$5 near3 back near4 (film or medium))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:55
L30	988	duplex near3 (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:00
L31	9	30 and 358/450.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 13:56
L32	40	30 and (film near3 (scan\$5 or read\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:05
L33	74	(scan\$5 or read\$5) near3 (both) near3 side near8 film	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:34
L34	2228	(film near3 (scan\$5 or read\$5)) and ((one or single) near3 (sensing or sensor or photodetect\$5 or photo-detect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:35
L35	897	34 and ((scan\$5 or read\$5) near4 (front or first))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:36
L36	638	35 and ((scan\$5 or read\$5) near4 (back or rear or second))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:40

L37	27	36 and (((combin\$5 or merg\$5) near5 (digit\$6 or data or image)) same ((scan\$5 or read\$5) near4 (front or first or back or rear or second)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/27 14:42
-----	----	--	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	2689	digital near5 film near5 (scan\$5 or read\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 14:42
L5	485	4 and ((one or single) near5 (sens\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 14:46
L6	18	5 and ((scan\$5 or read\$5) near7 ((both near3 side) or (duplex) or (double near3 side\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 14:50
L7	33	5 and (((scan\$5 or read\$5) near7 ((both near3 side) or (duplex) or (double near3 side\$5))) or (((scan\$5 or read\$5) near7 (front)) and ((scan\$5 or read\$5) near7 (back))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 14:54
L8	25	7 and ((combin\$5 or composit\$5 or join\$5 or stitch\$5 or merg\$5 or superpos\$6 or superimpos\$5) near6 imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/23 14:56